

References

- [AB15] J. Azzam and J. Bedrossian. Bounded mean oscillation and the uniqueness of active scalar equations. *Trans. of the Amer. Math. Soc.*, 367(5):3095–3118, 2015.
- [ADN59] S. Agmon, A. Douglis, and L. Nirenberg. Estimates near the boundary for solutions of elliptic partial differential equations satisfying general boundary conditions. I. *Comm. Pure Appl. Math.*, 12:623–727, 1959.
- [AF03] Robert A. Adams and John J. F. Fournier. *Sobolev spaces*, volume 140 of *Pure and Applied Mathematics (Amsterdam)*. Elsevier/Academic Press, Amsterdam, second edition, 2003.
- [BKM84] J.T. Beale, T. Kato, and A. Majda. Remarks on the breakdown of smooth solutions for the 3-D Euler equations. *Comm. Math. Phys.*, 94(1):61–66, 1984.
- [BP08] Jean Bourgain and Nataša Pavlović. Ill-posedness of the Navier–Stokes equations in a critical space in 3D. *J. Func. Anal.*, 255(9):2233–2247, 2008.
- [BT07] C. Bardos and E.S. Titi. Euler equations for an ideal incompressible fluid. *Uspekhi Mat. Nauk*, 62(3(375)):5–46, 2007.
- [BT10] C. Bardos and E.S. Titi. Loss of smoothness and energy conserving rough weak solutions for the 3d Euler equations. *Discrete Contin. Dyn. Syst. Ser. S*, 3(2):185–197, 2010.
- [BT13] C. Bardos and E.S. Titi. Mathematics and turbulence: where do we stand? *arXiv preprint arXiv:1301.0273*, 2013.
- [Cam63] S. Campanato. Proprietà di Hölderianità di alcune classi di funzioni. *Ann. Scuola Norm. Sup. Pisa (3)*, 17:175–188, 1963.
- [CET94] P. Constantin, W. E, and E.S. Titi. Onsager’s conjecture on the energy conservation for solutions of Euler’s equation. *Comm. Math. Phys.*, 165(1):207–209, 1994.
- [CF88] P. Constantin and C. Foias. *Navier-Stokes equations*. Chicago Lectures in Mathematics. University of Chicago Press, Chicago, IL, 1988.
- [CF93] P. Constantin and C. Fefferman. Direction of vorticity and the problem of global regularity for the Navier-Stokes equations. *Indiana Univ. Math. J.*, 42(3):775–789, 1993.
- [CFM96] P. Constantin, C. Fefferman, and A.J. Majda. Geometric constraints on potentially singular solutions for the 3-D Euler equations. *Comm. Partial Differential Equations*, 21(3-4):559–571, 1996.
- [Che98] J.-Y. Chemin. *Perfect incompressible fluids*, volume 14 of *Oxford Lecture Series in Mathematics and its Applications*. The Clarendon Press Oxford University Press, New York, 1998. Translated from the 1995 French original by Isabelle Gallagher and Dragos Iftimie.
- [CM93] A.J. Chorin and J.E. Marsden. *A mathematical introduction to fluid mechanics*, volume 4 of *Texts in Applied Mathematics*. Springer-Verlag, New York, third edition, 1993.
- [Con06] P. Constantin. Euler equations, Navier-Stokes equations and turbulence. In *Mathematical foundation of turbulent viscous flows*, volume 1871 of *Lecture Notes in Math.*, pages 1–43. Springer, Berlin, 2006.

- [CS10] A. Cheskidov and R. Shvydkoy. The regularity of weak solutions of the 3D Navier-Stokes equations in $B_{\infty,\infty}^{-1}$. *Arch. Ration. Mech. Anal.*, 195(1):159–169, 2010.
- [Dra02] PG Drazin. Introduction to hydrodynamic instability. *Cambridge Texts in Applied Mathematics*, 2002.
- [EM69] D.G. Ebin and J.E. Marsden. Groups of diffeomorphisms and the solution of the classical Euler equations for a perfect fluid. *Bull. Amer. Math. Soc.*, 75:962–967, 1969.
- [EN00] K.-J. Engel and R. Nagel. *One-parameter semigroups for linear evolution equations*. Graduate Texts in Mathematics. Springer-Verlag, 2000.
- [ESS03] L. Escauriaza, G. A. Seregin, and V. Sverak. $L_{3,\infty}$ -solutions of the Navier-Stokes equations and backward uniqueness. *Russian Math. Surveys*, 58(2):211–250, 2003.
- [Eva98] L.C. Evans. *Partial differential equations*, volume 19 of *Graduate Studies in Mathematics*. American Mathematical Society, Providence, RI, 1998.
- [Fer93] A.B. Ferrari. On the blow-up of solutions of the 3-D Euler equations in a bounded domain. *Comm. Math. Phys.*, 155(2):277–294, 1993.
- [FK64] H. Fujita and T. Kato. On the Navier-Stokes initial value problem. I. *Arch. Rational Mech. Anal.*, 16:269–315, 1964.
- [Fol13] G. B. Folland. *Real analysis: modern techniques and their applications*. John Wiley & Sons, 2013.
- [FP67] C. Foias and G. Prodi. Sur le comportement global des solutions non-stationnaires des équations de Navier-Stokes en dimension 2. *Rend. Sem. Mat. Univ. Padova*, 39:1–34, 1967.
- [GG05] I. Gallagher and T. Gallay. Uniqueness for the two-dimensional Navier-Stokes equation with measure as initial vorticity. *Math. Ann.*, 332:287–327, 2005.
- [GMO88] Y. Giga, T. Miyakawa, and H. Osada. Two-dimensional Navier-Stokes flow with measures as initial vorticity. *Arch. Rat. Mech. Anal.*, 104(3):223–250, 1988.
- [GT01] D. Gilbarg and N.S. Trudinger. *Elliptic Partial Differential Equations of Second Order*. Classics in Mathematics. Springer-Verlag, 2001.
- [GW05] T. Gallay and E. Wayne. Global stability of vortex solutions of the two-dimensional Navier-Stokes equation. *Comm. Math. Phys.*, 255:97–129, 2005.
- [Höl33] E. Hölder. Über die unbeschränkte Fortsetzbarkeit einer stetigen ebenen Bewegung in einer unbegrenzten inkompressiblen Flüssigkeit. *Math. Z.*, 37(1):727–738, 1933.
- [Hop51] E. Hopf. Über die Anfangswertaufgabe für die hydrodynamischen Grundgleichungen. *Math. Nachr.*, 4:213–231, 1951.
- [HY13] T.Y. Hou and X. Yu. Introduction to the theory of incompressible inviscid flows. http://math.stanford.edu/~ryzhik/SCHOOL-13/hou_notes.pdf, 2013.
- [ISS03] L. Iskauriaza, G. A. Seregin, and V. Sverak. $L_{3,\infty}$ -solutions of Navier-Stokes equations and backward uniqueness. *Uspekhi Mat. Nauk*, 58(2(350)):3–44, 2003.

- [JS15] Hao Jia and Vladimir Sverak. Are the incompressible 3D Navier–Stokes equations locally ill-posed in the natural energy space? *Journal of Functional Analysis*, 268(12):3734–3766, 2015.
- [Jud63] V.I. Judovič. Non-stationary flows of an ideal incompressible fluid. *Ž. Vyčisl. Mat. i Mat. Fiz.*, 3:1032–1066, 1963.
- [Kat72] T. Kato. Nonstationary flows of viscous and ideal fluids in \mathbf{R}^3 . *J. Functional Analysis*, 9:296–305, 1972.
- [Kat84] T. Kato. Strong l^p -solutions of the Navier-Stokes equation in r^m , with applications to weak solutions. *Math. Zeitschrift*, 187(4):471–480, 1984.
- [Kis10] A. Kiselev. Regularity and blow up for active scalars. *Math. Model. Nat. Phenom.*, 5(4):225–255, 2010.
- [KK11] C. E. Kenig and G. S. Koch. An alternative approach to regularity for the Navier-Stokes equations in critical spaces. *Ann. Inst. H. Poincaré Anal. Non Linéaire*, 2011.
- [KL84] T. Kato and C.Y. Lai. Nonlinear evolution equations and the euler flow. *J. Funct. Anal.*, 56(1):15–28, 1984.
- [KNV07] A. Kiselev, F. Nazarov, and A. Volberg. Global well-posedness for the critical 2D dissipative quasi-geostrophic equation. *Invent. Math.*, 167(3):445–453, 2007.
- [KOT02] H. Kozono, T. Ogawa, and Y. Taniuchi. The critical Sobolev inequalities in Besov spaces and regularity criterion to some semi-linear evolution equations. *Math. Z.*, 242(2):251–278, 2002.
- [KP88] T. Kato and G. Ponce. Commutator estimates and the Euler and Navier-Stokes equations. *Comm. Pure Appl. Math.*, 41(7):891–907, 1988.
- [KS13] A. Kiselev and V. Sverak. Small scale creation for solutions of the incompressible two dimensional euler equation. *Annals of Mathematics*, to appear. *arXiv preprint arXiv:1310.4799*, 2013.
- [KT00] H. Kozono and Y. Taniuchi. Limiting case of the Sobolev inequality in BMO, with application to the Euler equations. *Comm. Math. Phys.*, 214(1):191–200, 2000.
- [KT01] H. Koch and D. Tataru. Well-posedness for the Navier–Stokes equations. *Advances in Mathematics*, 157(1):22–35, 2001.
- [Lad67a] O.A. Ladyženskaja. Uniqueness and smoothness of generalized solutions of Navier-Stokes equations. *Zap. Naučn. Sem. Leningrad. Otdel. Mat. Inst. Steklov. (LOMI)*, 5:169–185, 1967.
- [Lad67b] Olga Aleksandrovna Ladyzhenskaya. On the uniqueness and on the smoothness of weak solutions of the Navier-Stokes equations. *Zapiski Nauchnykh Seminarov POMI*, 5:169–185, 1967.
- [Ler34] J. Leray. Sur le mouvement d’un liquide visqueux emplissant l’espace. *Acta Math.*, 63(1):193–248, 1934.
- [Lic25] L. Lichtenstein. Über einige Existenzprobleme der Hydrodynamik homogener, unzusammendrückbarer, reibungsloser Flüssigkeiten und die Helmholtzschen Wirbelsätze. *Math. Z.*, 23(1):89–154, 1925.
- [LR02] P.G. Lemarié-Rieusset. *Recent developments in the Navier-Stokes problem*, volume 431 of *Chapman & Hall/CRC Research Notes in Mathematics*. Chapman & Hall/CRC, Boca Raton, FL, 2002.

- [MB02] A.J. Majda and A.L. Bertozzi. *Vorticity and incompressible flow*, volume 27 of *Cambridge Texts in Applied Mathematics*. Cambridge University Press, Cambridge, 2002.
- [McM14] Curtis T McMullen. *Renormalization and 3-Manifolds Which Fiber over the Circle*, volume 142. Princeton University Press, 2014.
- [MH94] Jerrold E Marsden and Thomas JR Hughes. *Mathematical foundations of elasticity*. Courier Corporation, 1994.
- [MP94] C. Marchioro and M. Pulvirenti. *Mathematical theory of incompressible nonviscous fluids*, volume 96 of *Applied Mathematical Sciences*. Springer-Verlag, New York, 1994.
- [Pon85] G. Ponce. Remarks on a paper by J. T. Beale, T. Kato and A. Majda. *Comm. Math. Phys.*, 98(3):349–353, 1985.
- [Pro59a] G. Prodi. Un teorema di unicità per le equazioni di Navier-Stokes. *Ann. Mat. Pura Appl. (4)*, 48:173–182, 1959.
- [Pro59b] Giovanni Prodi. Un teorema di unicità per le equazioni di Navier-Stokes. *Annali di Matematica pura ed applicata*, 48(1):173–182, 1959.
- [Ser62a] J. Serrin. On the interior regularity of weak solutions of the Navier-Stokes equations. *Arch. Rational Mech. Anal.*, 9:187–195, 1962.
- [Ser62b] James Serrin. On the interior regularity of weak solutions of the Navier-Stokes equations. *Archive for Rational Mechanics and Analysis*, 9(1):187–195, 1962.
- [Sho13] Ralph Edwin Showalter. *Monotone operators in Banach space and nonlinear partial differential equations*, volume 49. American Mathematical Soc., 2013.
- [Ste70] E.M. Stein. *Singular integrals and differentiability properties of functions*. Princeton Mathematical Series, No. 30. Princeton University Press, Princeton, N.J., 1970.
- [Ste93] E. Stein. *Harmonic Analysis: Real-Variable Methods, Orthogonality, and Oscillatory Integrals*. Princeton University Press, 1993.
- [SV12] L. Silvestre and V. Vicol. Hölder continuity for a drift-diffusion equation with pressure. *Annales de l'Institut Henri Poincaré (C) Non Linear Analysis*, 20(4):637–652, 2012.
- [Sve12] V. Sverak. Selected topics in fluid mechanics. <http://www.math.umn.edu/~sverak/course-notes2011.pdf>, 2012.
- [Tem75] R. Temam. On the Euler equations of incompressible perfect fluids. *J. Functional Analysis*, 20(1):32–43, 1975.
- [Tem01] R. Temam. *Navier-Stokes equations: Theory and numerical analysis*. AMS Chelsea Publishing, Providence, RI, 2001. Reprint of the 1984 edition.
- [Tri92] H. Triebel. *Theory of function spaces. II*, volume 84 of *Monographs in Mathematics*. Birkhäuser Verlag, Basel, 1992.
- [Wol33] W. Wolibner. Un théorème sur l'existence du mouvement plan d'un fluide parfait, homogène, incompressible, pendant un temps infiniment long. *Math. Z.*, 37(1):698–726, 1933.

- [Yag12] A.M. Yaglom. *Hydrodynamic Instability and Transition to Turbulence*, volume 100. Springer, 2012.
- [Zla15] A. Zlatoš. Exponential growth of the vorticity gradient for the euler equation on the torus. *Adv. Math.*, 268:396–403, 2015.